# Using NCI-AD to assess the outcomes of your services


Rosa Plasencia

Director, National Core Indicators - Aging and Disabilities ADvancing States

Stephanie Giordano

Co-Director, National Core Indicators Project Human Services Research Institute





All registrants will receive a link to the recording and slides later this week.
 We will be taking questions at the end of the webinar. You can ask a question at any time.

- 3. You can move and resize the windows on your screen to match your preferences.
  - 4. Use the "cc" button on your media player to access closed captions.
- 5. The Resource lets you download resources or visit web links for future reading.
- **6.** Please complete the survey on the right side of the screen before you leave the webinar.

# WellSky.

### Software and services to realize care's potential

Aging & Disability | Protective Services | Behavioral Health Vocational Rehabilitation | Guardianship | Information & Referral

# 78%

Of states rely on WellSky to manage one or more of:

- Aging & Disability
- Medicaid IDD
- Vocational Rehabilitation
- Adult Protective Services
- Guardianship





Home Health Hospice Physical Rehabilitation Home Medical Equipment Behavioral Health Intellectual & Developmental Disabilities Specialty Pharmacy Skilled Nursing Home Infusion Social Services

## Presenters



## **Rosa Placencia**

Director, National Core Indicators - Aging and Disabilities ADvancing States



## Stephanie Giordano

Co-Director, National Core Indicators Project Human Services Research Institute



# Quality of Life Data on Older Adults and People with Disabilities

Examine the Latest Findings from the National Core Indicators – Aging and Disabilities (NCI-AD)

WellSky

March 9, 2023 2pm ET.



## Hello!





#### Stephanie Giordano, MEEP, DLP (she/her)

HSRI, Co-Director - NCI

sgiordano@hsri.org

#### Rosa Plasencia, JD (she/her)

ADvancing States, Director – NCI-AD

rplasencia@advancingstates.org



NATIONAL CORE INDICATORS--AGING AND DISABILITIES®

# Agenda

**Overview and background** 

**Data findings** 

Select findings from recent presentations Preview of 2021-2022 Data Findings

NCI-AD Resources Wrap Up/Questions



## **NCI-AD: An Overview**




## Population addressed

• Older adults and people with physical disabilities

### Covers multiple domains

 AD domains and indicators: <u>https://nci-ad.org/resources/the-</u> <u>survey/</u>



## Adult Consumer Survey (ACS) A Person-Centered Approach

- Standardized survey with a sample of individuals receiving services
  - No pre-screening procedures

### • Survey includes:

- Demographic and service-related characteristics typically from existing records
- Main survey section conducted with person receiving services
- Some questions may be answered by a proxy respondent
- Survey conducted in-person, via video conference, over the phone
- Standardized surveyor training
- Allows questions to be reworded or rephrased using familiar names and terms
- Survey portions take 50 minutes on average

## **Domains (Area of Interest)**

Community Participation Access to Community Work Everyday Living Relationships Safety Satisfaction Service Coordination Rights and Respect

Care Coordination Access to Technology Access to Needed Equipment Health Care Medications Wellness Affordability Choice and Control

Self-Direction (Optional) Service Planning (Optional)



# **Background Information (BI)**

# Key demographic characteristics:



Age	Gender	Race/Ethnicity	Martial Status
Preferred Language	Zip Code	Type of Residential Setting	Who Lives with Person
Guardian Status	Mobility	Falls	LTSS Services including SDS
Medicare Status	Conditions	Deaf/Hard of Hearing	Blind/Visually Impaired

## **Social Deprivation Index (SDI)**

"SDI is a composite measure of area level deprivation based on seven demographic characteristics collected in the American Community Survey and used to quantify the socio-economic variation in health outcomes." – Robert Graham Center



Beginning with 2022-23 data, ACS links to area measures of SDI (based on zip code), allowing for further analysis.



# Data can help measure disparities

Individual characteristics of people receiving services	Where people live
	Gender
	Race/Ethnicity
	Disability
The nature of their experiences with services	Interaction with staff and case managers
	Self-direction
	Choice and Control
The context of their live	Involvement with family and friends
	Access to community involvement
	Safety
Health and well-being	Utilization of health services
	Ability to manage chronic conditions
	Mental healthcare



# Data are used to...

**Compare outcomes to other states** 



Compare specific groups or geographic regions within states

Identify areas for quality improvement



Share outcomes with stakeholders and advocates for feedback and strategic planning



★★☆

Benchmark and track progress toward quality improvement goals over time



Researchers also use data to look more closely at specific topics



# Select findings from recent presentations

Data from 2018-19



NATIONAL CORE INDICATORS--AGING AND DISABILITIES®

# 1:4 older adults (65+) who self-reported a mental health diagnosis

Those with a mental health diagnosis, compared to those without were:

4 times for likely to often feel sad or lonely



Had poorer community access and relationship outcomes, and were more likely to want to work or volunteer







# 10% of older adults reported they have to skip meals due to financial concerns

Older adults who reported they have to skip meals were more likely than those who did not to experience other measures of isolation, including being:

- Less likely to have close relationships with friends and family
- More likely to live alone
- More likely to be in poor health
- More likely to report often feeling sad or depressed



# 11% of ACS respondents were reported to have an ID diagnosis

The gender gap in respondents closes in older cohorts for NCI-IDD, yet increases NCI-AD

Self-reported mental health diagnosis is nearly 3.5x higher for 55-64 year olds compared to those 75 and older

Loneliness decreased with age by half




Overall, less than half of survey participants reported there are services they want that they are not currently receiving

People with an Alzheimer's or dementia diagnosis were more likely to report that services meet their needs and more likely to have ADL and IADLs met Demographic factors associated with wanting additional services...



Being 65 years and older

Living alone




\*unweighted and may vary when published in national or state reports



NATIONAL CORE INDICATORS--AGING AND DISABILITIES®

## 2021 – 2022 Preview



#### **19 States Included**

- Programs Represented
  - Managed Long-Term Services and Supports (MLTSS)
  - Fee-for-service (FFS)
  - PACE
  - Older Americans Act (OAA)
  - Money Follows the Person (MFP)
  - Others

#### 13,594 respondents

- 34% Male, 66% Female
- Age range: 18 99 (64 average)



## **Person's Race and Ethnicity**

#### 2021 – 2022 Preview

AMERICAN INDIAN OR ALASKA NATIVE	2%
ASIAN	3%
BLACK OR AFRICAN-AMERICAN	24%
PACIFIC ISLANDER	0.4%
WHITE	59%
HISPANIC OR LATINO	10%
OTHER	2%



### **Where Does the Person Live**

#### 2021 – 2022 Preview

Own or family house or apartment (owned or rented)	74%
Senior living apartment or complex	6%
Group home, adult family home, foster home, host home	2%
Assisted living facility, residential care facility	8%
Nursing facility, nursing home	8%
Homeless or temporary shelter	0.2%
Other	1%



#### 2021 – 2022 Preview

### **Wellness Considerations**

12%


 Diagnosis of Alzheimer's disease or other dementia 40%

 Chronic psychiatric or mental health diagnosis **4%** 

 Report they <u>often</u> skipping meals due to financial worries (6% sometimes do)



### **How the Person First Found Out About Services**





2021 – 2022 Preview

## Satisfaction with Supports and Services 2021 – 2022 Preview



Almost 9 of 10 respondents state that the supports and services they receive help them to live a better life.

Older adults (60+) are more likely than those under 60 to report that all of their needs and goals are met by their long-term services and supports.

2021 – 2022 Preview

# Social Isolation and Loneliness

## 4% reported they often feel lonely

- People under 60 were more likely to report often feeling lonely
- People who often feel lonely were more likely to report having to skip meals







# **Social Isolation and Loneliness**

Over 9 in 10 respondents noted that they had friends or family, who did not live with them, who are a part of their life.

Hispanic respondents were...




- More likely to report having friends or family in their life, but
- Most likely to report often feeling lonely.



# Working

#### Who wants a job...






## Volunteering



7% volunteer

10% reported they want to volunteer

#### Who wants to volunteer...





## **Where People Live**



Those **60 and older** were more likely to **like where they are living**, and **less likely to report wanting to live somewhere else**.

#### Within the same data:


- Hispanic respondents were the most satisfied with where they live, followed by White respondents in satisfaction.
- Black respondents were the least likely
  to like where they live, and most likely
  to report wanting to move somewhere
  else.



# **Collecting Quality Data**




## **Data for Quality Improvement**





## **Data for Quality Improvement: Considerations**





## HCBS Quality Measure Set: SMDL 22-003



## July 21, 2022:

SMDL 22-003 was released, detailing first-ever HCBS Quality Measure Set

- 1<sup>st</sup> of 2 guidance documents from CMS
- Intended for use in <u>all HCBS</u> programs
- Intended to apply to both FFS and managed care

https://www.medicaid.gov/federal-policy-guidance/downloads/smd22003.pdf

### Source

Vast majority of measures are drawn from consumer surveys

### Flexibility

CMS permits states flexibility to determine which survey tool they implement: NCI®-IDD NCI-AD™ HCBS CAHPS® and POM®



## **NCI-AD Resources**






STATE LOGIN

#### 211NCIAD INDICATORS DECOLOR OF CONTRACTORS

#### About NCI-AD States Reports Resources News Join NCI-AD



# nci-ad.org

#### Recent Updates

NCI-AD Webinar: Spotlight on Social Connectedness

NCI-AD hosted a webinar on social connectedness among older adults and people with physical disabilities on February 3, 2021.

Read More

New Reports Available: 2019-20 NCI-AD State Reports

Please check out the reports page for the latest updates.

Read More

#### NCI-AD is excited to announce the release of our first NCI-AD Data Spotlight on Social Connections Among Older Adults and People

our first NCI-AD Data Spotlight on Social Contections Among Older Adults and People With Disabilities! The Spotlight highlights responses from the more than 14,000 older adults and people with disabilities across 16 states who took part in the 2018-19 Adult Consumer Survey (ACS). Follow the link below to check it out.


Released! NCI-AD Spotlight: Social Connections Among

Older Adults and People With

Read More

Disabilities

## **Data Spotlights**



https:// nci-ad.org/ resources/ dataspotlight/

Older Adults and Mental Health

Health Care Access and Preventive Services

Alzheimer's and Related Dementias

LTSS Experiences of Black and White Respondents

Social Connections Among Older Adults and People with Disabilities



#### NCI-AD Data Spotlight on Older Adults and Mental Health

#### NCI-AD DATA SPOTLIGHT

May is Older Americans Month and Mental Health Awareness Month. This NCI-AD Spotlight sheds light on the impact of mental health on older adults. Older adults experience greater inequality related to social and economic factors, that in turn can affect mental health.<sup>1</sup> About 12% of adults aged 65 or older report that they "rarely" or "never" receive the social and emotional support they needed.<sup>2</sup>

Note: These data were collected before COVID-19.

#### In 2018 - 2019, what did National Core Indicators - Aging and Disabilities Tell Us?<sup>3</sup>

74

Average age

of those who

mental health

reported a

diagnosis

Among those who reported they have a mental health diagnosis 73% were female.

A higher proportion of white respondents reported having a mental health diagnosis, while a lower proportion of black respondents reported a diagnosis.



**WNCI-AD** 

77

Average age of

those who did

not report a

diagnosis

mental health

NATIONAL CORE INDICATORS

\*These data come from the 16 states that participated in the 2018–19 MCrA0<sup>m</sup> Adult Consumer Survey. Analysis includes people 65 and older who responded to the question "Do you have a chronic psychiatric or a mental health diagnosis, such as bipolar disorder, schizaphrenia, or major depressive disorder?" Data include a total of 6,639 respondents. Comparisons are significant at .01.

#### **NCI-AD and Health Care**

A Closer Look at Health Care Access and Preventive Services\*


#### NCI-AD DATA SPOTLIGHT

Access to health care can impact a person's physical, social, and mental health status and quality of life.<sup>1</sup> Older adults and people with physical disabilities should have access to health care and preventive services to avert health crises, improve health outcomes, and live healthy lives. However, information collected by NCI-AD in 2018–19 reveals that nearly 1 out of every 5 respondents *did not* have a regular physical exam in the past year. Moreover, fewer than half had a dental exam in the past year, and only a quarter of respondents had a hearing exam. This is concerning given the impact hearing and oral health can have on quality of life.

**MOI-AD** 

NATIONAL CORE INDICATORS

#### **Preventive Health Care Services:**



#### Alzheimer's and Related Dementias

Using NCI-AD Data as Context for Better Understanding

#### NCI-AD DATA SPOTLIGHT

#### Did you know June is Alzheimer's & Brain Awareness month?

Alzheimer's disease is the most common type of dementia that begins with mild memory loss but can eventually affect a person's ability to perform daily functions. Alzheimer's is more prevalent than some might think; more than 1 in 9 people aged 65 and older have Alzheimer's dementia<sup>1</sup>. It is also the sixth leading cause of death in the US for the 65 and older population<sup>2</sup>.

Age is the most important known risk factor for dementia<sup>4</sup>. Recent research suggests addressing certain lifestyle factors can help to mitigate the risk of Alzheimer's disease, including quitting smoking, diet and blood pressure management, increased physical activity, and staying socially and mentally active<sup>5</sup>.

In 2018-19, 15% of people surveyed by NCI-AD had an Alzheimer's Disease or related dementia (AD/RD) diagnosis. The information below, derived from NCI-AD data, can help provide context on the complexities of this population.



Average age of people with Alzheimer's Disease or related dementia:

72

Data are from the 2018–2019 NCI-AD Adult Consumer Surveys and are collected directly from people receiving services. For this Spotlight we limited the sample to those with a diagnosis of Alzheimer's disease or other dementia, for a total of 2,107 people.





## The future of SDOH: How community care hubs can help transform social care



March 22 | 2 p.m. ET / 11 a.m. PT







# Thank you!

Stephanie Giordano, MEEP, DLP (she/her)

HSRI, Co-Director - NCI

sgiordano@hsri.org

Rosa Plasencia, JD (she/her) ADvancing States, Director – NCI-AD rplasencia@advancingstates.org

www.nci-ad.org

# Questions?

Comments?

# **Reactions?**